

log 1

EAST Search History (Interference Search)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(extend\$4 adj address\$4) and device\$1 and (slot adj address\$4) and depth and topolog\$4 and (locat\$4 or reside\$3 or position or layer).clm.	US-PGPUB	OR	OFF	2006/03/01 13:29
L3	1	(extend\$4 adj address\$4) and device\$1 and depth and topolog\$4 and (locat\$4 or reside\$3 or position or layer).clm.	US-PGPUB	OR	OFF	2006/03/01 13:29

3/1/06 - TH

EAST Search History

1072

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	63	((assign\$6 or allocat\$5) same topolog\$1 same address\$4).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:32
L5	41	L4 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:33
L6	81	((assign\$6 or allocat\$5) same topolog\$5 same address\$4).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:33
L7	50	L6 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:33
L8	382	((assign\$6 or allocat\$5) same topolog\$5 same address\$4).bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:35
L9	236	8 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:36
L10	38	9 and ((depth or layer or reside\$2 or locat\$4 or position) with topolog\$4 with address\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:43
L11	1219	((assign\$6 or allocat\$5) same topolog\$5 same address\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:43
L12	161	11 and ((depth or layer or reside\$2 or locat\$4 or position) with topolog\$4 with address\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:45
L13	95	12 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:42
L14	8005	(370/389,392-393,409,475).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:42
L15	44	14 and ((depth or layer or reside\$2 or locat\$4 or position) with topolog\$4 with address\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:44
L16	111	14 and ((assign\$6 or allocat\$5) same topolog\$5 same address\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:43

EAST Search History

202

L17	57	16 and ((depth or layer or reside\$2 or locat\$4 or position) same topolog\$4 same address\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:44
S3	60	((assign\$6 or allocat\$5) same topolog\$1 same address\$4).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/12 18:34
S4	40	S3 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/12 18:34
S5	78	((assign\$6 or allocat\$5) same topolog\$5 same address\$4).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:33
S6	49	S5 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/12 19:55

3/1/2006 TH